



**CEMBRE**

**NR-25B BATTERY-POWERED PORTABLE  
RAIL IMPACT WRENCH**



[www.cembre.com](http://www.cembre.com)

## NR-25B / ECOIMPACT



### CS-EU SUPPORT TROLLEY

Designed to offer maximum support to operators when drilling sleepers and/or tightening or loosening mechanical elements, such as screws or bolts.

The **CS-EU** trolley safely supports NR type impact wrenches and SD type drills during their use or transport.



## ONE BATTERY PLATFORM



36V  
LiHD



**LD-16B-RP**  
Rainproof  
rail drilling machine



**SD-19BR-RP**  
Rainproof  
sleeper drilling machine



**B70M-P36**  
Portable  
electro-hydraulic  
pump

## NR-25B / ECOIMPACT



### RAINPROOF

The high **IP44M** degree of protection makes it suitable for working in the rain



### VERTICAL AND HORIZONTAL APPLICATIONS

Single version with **double safety trigger** for improved working in vertical and horizontal orientations



### HEAVY-DUTY APPLICATIONS

**Suitable for heavy-duty applications** thanks to the forced-air cooling system

That keeps the internal temperature within safety limits

### 2700 Nm MAXIMUM TORQUE

Obtained with a special impact mechanism that **optimizes inertia and life expectancy**



### SIMPLE

Easily visible and intuitive front control panel with **display** and **5-levels** torque selector and inversion movement push button



### WITHOUT MAINTENANCE

The **brushless motor** is maintenance free. Small footprint, maximum torque and power available.

### TWO BATTERIES LiHD

Powered by **2 batteries 36V - 6.2 Ah Li-Ion** in parallel to ensure an optimal power-autonomy ratio

### EASY TO TRANSPORT

Thanks to the ergonomic design, the CEMBRE impact wrenches are balanced and easy to transport



### LOW VIBRATIONS

#### Low-impact vibrations

for operator hand/ arm protection, using dampers between the handles and motor unit



### NIGHT LIGHT

Equipped with powerful **LED lights**, operators will be able to work more efficiently at **night** and in **tunnels**.



# NR-25B / ECOIMPACT



The **CEMBRE NR-25B** impact wrench expands the range of **battery-operated equipment for permanent way applications**, thus offering a valid alternative to petrol-driven machines.

An **extremely practical and eco-friendly choice**, specifically designed for railway applications.

It can be used both in portable mode and in combination with the CS-EU support trolley with the aid of the specific interface KIT.

The double charger allows you to charge both batteries at the same time in 90 minutes.

With **2700 Nm of torque** and **dual drive** for vertical and horizontal use, the NR-25B is the most powerful and versatile impact wrench in the industry.

The **IP44M rain proofing** and **vibration damping** system make it a safe solution that guarantees high performance.



## FEATURES

maximum torque	2700 Nm
power supply (brushless motor)	36 V =
dimensions (LxWxH)	728 x 437 x 307 mm
weight with batteries	20,5 kg

## SALE SETUP

SALE SETUP	TYPE
2x 36V - 6.2Ah batteries	<b>CB3662L</b>
battery charger	<b>ASC145DUO-EU</b>
3x retaining springs 47-57 mm	<b>CLIP-NR</b>
retaining spring 57-67 mm	<b>CLIP-NR57</b>

## ACCESSORIES ON REQUEST FOR CS-EU

ACCESSORIES ON REQUEST FOR CS-EU	TYPE
interface kit for vertical use	<b>KCS-NR25</b>
interface kit for horizontal use	<b>KHOR-NR25</b>

## CASE ON REQUEST

CASE ON REQUEST	TYPE
metal for bolt tightening machine	<b>VAL-NR-25B</b>
plastic for bushing with mould	<b>VAL-P20</b>
protective cover	<b>027-NR</b>



Cod. 6260957



22V061E



8 051316 060037

[www.cembre.com](http://www.cembre.com)



**CEMBRE S.p.A.**  
via Serenissima, 9  
25135 Brescia  
Italy  
Ph +39 030 36921  
[ufficio.vendite@cembre.com](mailto:ufficio.vendite@cembre.com)  
[sales@cembre.com](mailto:sales@cembre.com)

**CEMBRE Ltd.**  
Dunton Park,  
Kingsbury Road,  
Curdworth, Sutton Coldfield,  
West Midlands, B76 9EB  
United Kingdom  
Ph +44 01675 470440  
[sales@cembre.co.uk](mailto:sales@cembre.co.uk)

**CEMBRE S.ar.l.**  
22 Avenue Ferdinand  
de Lesseps  
91420 Morangis Cedex  
France  
Ph +33 01 60 49 11 90  
[info@cembre.fr](mailto:info@cembre.fr)

**CEMBRE S.L.U.**  
Calle Verano 6 y 8  
Pl Las Monjas  
28850 Torrejón de Ardoz  
Madrid - Spain  
Ph +34 91 4852580  
[comercial@cembre.com](mailto:comercial@cembre.com)

**CEMBRE GmbH**  
Geschäftsbereich  
Energie- und Bahntechnik  
Heidemansstr. 166  
80939 München  
Germany  
Ph +49 89-3580676  
[info@cembre.de](mailto:info@cembre.de)

**CEMBRE GmbH**  
Geschäftsbereich  
Industrie und Handel  
Boschstraße 7  
71384 Weinstadt  
Germany  
Ph +49 7151-20536-60  
[info-w@cembre.de](mailto:info-w@cembre.de)

**CEMBRE Inc.**  
Raritan Center Business Park  
300 Columbus Circle-S.F.,  
Edison, NJ 08837 USA  
Ph +1 (732) 225-7415  
[sales.us@cembre.com](mailto:sales.us@cembre.com)  
**Midwest Office**  
1051 Perimeter Dr #610  
Schaumburg, IL 60173

